

GCSE

Mathematics A

Unit A502/02: Unit B (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2016

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2016

Annotations

Annotation	Meaning
✓	Correct
×	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
MO	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MB	Misread
SC	Special case
	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B**, etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks. It is vital that you annotate these scripts to show how the marks have been awarded.

It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

Subject-Specific Marking Instructions

- M marks are for <u>using a correct method</u> and are not lost for purely numerical errors.
 A marks are for an <u>accurate</u> answer and depend on preceding M (method) marks. Therefore M0 A1 cannot be awarded.
 B marks are <u>independent</u> of M (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
 SC marks are for <u>special cases</u> that are worthy of some credit.
- 2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is <u>not from wrong working</u> **full marks** should be awarded.

Do <u>not</u> award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen <u>and</u> the correct answer clearly follows from it.

3. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT 180 × (*their* '37' + 16), or FT 300 – $\sqrt{(their '5^2 + 7^2)}$. Answers to part questions which are being followed through are indicated by eg FT 3 × *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

- 4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
- 5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - isw means ignore subsequent working after correct answer obtained and applies as a default.
 - nfww means not from wrong working.
 - oe means or equivalent.
 - rot means rounded or truncated.
 - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
 - soi means seen or implied.

- 6. In questions with no final answer line, make no deductions for wrong work after an acceptable answer (ie **isw**) unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
- 7. In questions with a final answer line following working space,
 - (i) if the correct answer is seen in the body of working and the answer given on the answer line is a clear transcription error allow full marks unless the mark scheme says 'mark final answer'. Place the annotation ✓ next to the correct answer.
 - (ii) if the correct answer is seen in the body of working but the answer line is blank, allow full marks. Place the annotation ✓ next to the correct answer.
 - (iii) if the correct answer is seen in the body of working but a completely different answer is seen on the answer line, then accuracy marks for the answer are lost. Method marks could still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation × next to the wrong answer.
- 8. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
- 9. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the MR annotation. **M** marks are not deducted for misreads.
- 10. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
- 11. Ranges of answers given in the mark scheme are always inclusive.
- 12. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.

Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Mark Scheme

Q	uestic	on Answer	Marks	Part Marks and Guidance	
1	(a)	All Some Square	1 1 1		Condone true Do not allow cube, sphere or circle
		Two pairs of [adjacent] sides equal oe	1	Allow other correct properties of kites eg Diagonals meet at 90° Two [opposite] angles equal	Allow necessary but not sufficient conditions such as two sides equal Interior/exterior angles sum to 360° One line of symmetry/symmetrical Has 4 sides
	(b)	Reasonable attempt at congruent shape	1	Correct vertices	Condone freehand
2 C8	(a)	4 correct points	2	B1 for 1 point correct	± one small square Overlay available Ignore any joining or extra points
С	(b)	Positive	1		Ignore strong etc
С	(c)	Correct straight line	1		Within overlay $4.5 \le \text{teams} \le 11.5$ Condone good freehand

Q	uestic	on	Answer	Marks	Part Marks ar	nd Guidance
C	(d)		76, 80, 84, 88 or 92 cao consistent with their number of rolls and with all correct supporting working	4	M1 for 115 to 140 or their number of rolls	FT <i>their</i> line if outside range (may be a curve) ± 1 small square
					M1 for (115 to 140) \div 6 (attempted) or their number of rolls \div 6(attempted) M1 for (19, 20, 21, 22, 23 or 24) × 4 or their integer quotient × 4 If 0 scored SC1 for 76, 80, 84, 88 or 92 without supporting working.	soi by 19 to 24 in a calculation (not 6×4) May be rounded to multiple of 6
3	(a)		$\frac{1}{4}$	2	Or M1 for $\frac{6}{24}$ oe or $\frac{3}{4}$	
	(b)		$\frac{13}{15}$ or equivalent fraction	2	Or M1 for $\frac{3}{15}$ oe or $\frac{10}{15}$ oe	ie attempt to use a common denominator with one fraction successfully converted 0 for attempts only using decimals

Question	Answer	Marks	Answer
3c*	Answer 71 miles & 6 days with full clear working Or a trial method of multiplication or division leading to correct answer	5	eg $x = 11.8\dot{3}$ $10x = 118.\dot{3}$ 9x = 106.5 18x = 213 $x = \frac{213}{18} = \frac{71}{6}$
	 As above but may include either or both of Lack of clarity in the working Small gaps in the working Or a less simple but 'correct' answer eg 213 and 18 Or a full method and conclusion with one arithmetic error 	4-3	For lower mark their working will get as far as correctly eliminating decimals Or answer of 70.98 miles or better & 6 days
			Or a trial method of multiplication or division with one error
	Multiplication of 11.83 (or better) by 10 ⁿ and subtraction attempted Or multiplication by 3 or a multiple of 3 attempted	2-1	For lower mark there will be an indication of multiplication of 11.83 (or better) by any integer.
		0	Nothing of any worth

G	uestic	on	Answer	Marks	Part Marks and Guidance	
4	(a)	(i)	Straight line with negative gradient and <i>y</i> -intercept 4 marked.	2	B1 for line with negative gradient or <i>y</i> -intercept 4 marked. Non-linear graph does not score.	Condone freehand line for 2 marks Ignore anything on <i>x</i> -axis
		(ii)	-1	1		Not –x etc
С	(b)	(i)	Correct ruled line from (1, 60) to (7, 300)	2	B1 for 3 points correct	± 1 small square Condone freehand line for max 1 mark
С		(ii)	20 40	1 1		
5	(a)	(i)	0	1		
		(ii)	Division by 0 is not defined oe	1		
	(b)		-14	1		Not -14 ²
6			12	2	M1 for <i>x</i> + 14 <i>x</i> = 180 or 180 ÷ 15 oe	
			5040	3	M1 for 360 <i>÷</i> their x And M1 for ((their 30 – 2) x 180 or 14 × 12 × their 30 If M0 then SC1 for 168	Not dep on first M1

G	Question	Answer	Marks	Part Marks and	Guidance
7	(a)	Solid line through (0,3) and (4.5, 3)	1		Condone dotted line for 1
	(b)	Correct region clearly indicated.	3	 M2 for correct regions shaded for 2 of the inequalities OR M1 for correct region shaded for 1 of the inequalities -1 for each extra shaded region 	

C	Questic	on	Answer	Marks	Part Marks and Guidance	
8	(a)		8x+7y-14=4x+4y	1		
	(b)		6x + 5y = 25 oe	M1	Condone one error	
			12x + 9y = 42 12x + 10y = 50 or $20x + 15y = 70 18x + 15y = 75$	M1	For multiplying both equations to make either coefficient equal (allow 1 error)	Attempts at eliminating <i>x</i> then eliminating <i>y</i> count as part of one method
			y = 8 or $2x = -5$	M1dep	For subtracting equations (allow 1 error)	
			or x = -2.5	A1	For either <i>x</i> or <i>y</i> correct oe isw	
			<i>x</i> = -2.5 oe <i>y</i> = 8	A1	Mark final answer	Correct answer with no working scores 4
					If substitution used M1 for rearranging one equation to get x or y (allow 1 error) M1 dep for substitution (allow 1 error)	If $6x+5y=25$ oe not found, the next two M marks can be earned for attempting to solve two equations
9	(a)	(i)	$1\frac{1}{4}$ oe	2	M1 for $[3^0] = 1$ or $[4^{-1}] = \frac{1}{4}$ oe	
		(ii)	8	2	M1 for $[16^{\frac{1}{4}}] = \sqrt[4]{16}$ or better	

Q	Question		Answer	Marks	Part Marks and Guidance	
	(b)		9√2	2	M1 for $\left[\sqrt{32}\right] = 4\sqrt{2}$ or $\left[\sqrt{50}\right] = 5\sqrt{2}$	nfww but $4 + \sqrt{2}$ etc loses 1 mark eg $4 + \sqrt{2} + 5 + \sqrt{2} = 9\sqrt{2}$ scores 1, $4 + \sqrt{2} = 4\sqrt{2}$ does not score
10	(a)		279 Alternate segment [Angles round a point = 360]	2 1	B1 for BED = 81 or 360 – <i>their</i> BED	If parallel lines etc assumed the reason mark is not earned
	(b)		Valid geometric reason Valid geometric reason	B1 B1	To a max 2	eg Angle between tangent and radius = 90° Angles in a quad'I = 360
			Valid algebraic approach eg to angles in triangle, quad'l etc	M1		eg $x + 5x + 90 + 90 = 360$
			Clear proof that hangs together eg all triangles/angles defined	A1		

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.gualifications@ocr.org.uk</u>

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553

© OCR 2016



